

MAIN PANEL

POISON

**KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING**



Baytex[®] 550

INSECTICIDE SPRAY

**ACTIVE CONSTITUENT: 550 g/L FENTHION
(an anti-cholinesterase compound)**
SOLVENT: 334 g/L XYLENE

GROUP 1B INSECTICIDE

Contents: 5 L A residual spray for control of flies, mosquitoes, spiders, ants and fleas outdoors as specified in the directions for use table.

(label code)

 BACK PANEL

DIRECTIONS FOR USE (All States):**Restraints**

DO NOT apply by air.

DO NOT apply using (motorised) high-pressure hand-held equipment.

DO NOT spray areas where water from rainfall or cleaning operations could cause runoff that could enter streams or ponds.

Do NOT allow spray to contact ornamental plants as damage may occur.

Do NOT spray on vinyl cladding materials.

Do NOT spray coated metal surfaces. Immediately wipe off any overspray on such surfaces.

Do NOT treat sealed surfaces of artificial paving.

| Situations | Pest | Rate | Critical Comments |
|---|------------|-------------------------------------|---|
| Outdoors and sub-floor areas of: Dairies, Stables, Meatworks (non-product areas), Commercial, Domestic and Industrial areas | Spiders | 15 mL/L | Thoroughly spray spiders, their webs and crevices in which they hide. Do not remove webs for a few days |
| | Ants | | Where possible locate the nest and spray thoroughly. Otherwise apply as a cover spray to areas where ants are active |
| | Fleas | 20-30 mL/3L water/10 m ² | Use wetting agent and the higher rate on non-wetting soils. Pre-wetting the soil with a garden hose may be required on very dry soils. Thoroughly spray all infested areas and ensure pets present are treated with a suitable flea control product to avoid reinfestation. |
| | Flies | 20 mL/L water/8 m ² | Apply as a coarse spray to walls and all other areas where flies alight or congregate. |
| | Mosquitoes | 15 mL/L water/8 m ² | Adults: Apply as a coarse spray to all surfaces where mosquitoes congregate |
| Artificial bodies of water (without fish) | | 300 mL/ha | Larvae: Apply diluted in a convenient amount of water to each hectare of water in which mosquitoes are breeding. |
| Septic tanks | | 10 mL | Flush into the septic tank through the pedestal pan every four weeks. |

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

FLAMMABLE: KEEP AWAY FROM NAKED FLAME

GENERAL INSTRUCTIONS:

Do not spray directly on humans, exposed food or food utensils, food preparation areas, livestock feed or water, food storage areas or onto packing materials or in areas where such packaging is stored. Baytex 550 is suitable for application in a wide variety of situations. Its use on the outside of buildings, including homesteads, where treated surfaces are not exposed directly to rain, ensures the control of flies and spiders for up to 6-8 weeks and longer for mosquitoes.

BACK PANEL

Insecticide Resistance Warning:**GROUP****1B****INSECTICIDE**

For insecticide resistance management Baytex 550 Insecticide is a Group 1B insecticide. Some naturally occurring insect biotypes resistant to Baytex and other Group 1B insecticides may exist through normal genetic variability in any insect population. The resistant individuals can eventually dominate the insect population if Baytex or other Group 1B insecticides are used repeatedly. The effectiveness of Baytex on resistant individuals could be significantly reduced. Since the occurrence of resistant individuals is difficult to detect prior to use, Bayer CropScience accepts no liability for any losses that may result from the failure of this product to control resistant insects.

Baytex may be subject to specific resistance management strategies. For further information contact your local supplier or Bayer CropScience representative.

MIXING: Mix the required quantity of Baytex 550 with water in the spray tank while stirring.

PROTECTION OF LIVESTOCK

Dangerous to birds. Do NOT spray poultry or poultry houses. Do NOT spray aviaries.

PROTECTION OF WILDLIFE, FISH, CRUSTACEA AND ENVIRONMENT

Dangerous to fish. For all uses, excluding mosquito larval control in artificial water bodies, cover fish tanks and ponds before using. This product could kill aquatic insects and crustaceans when used to control mosquito larvae. Do NOT contaminate ponds, waterways and drains with this product or used container. Dangerous to bees. Do NOT spray any plants in flower while bees are foraging.

STORAGE AND DISPOSAL

Store in the closed, original container in a cool, well-ventilated area. Do not store for prolonged periods in direct sunlight. Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush, or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

SAFETY DIRECTIONS

Poisonous if swallowed. Will irritate the eyes and skin. Avoid contact with eyes and skin. Repeated minor exposure may have a cumulative poisoning effect. Do not inhale spray mist. When preparing spray wear cotton overalls buttoned to the neck and wrist (or equivalent clothing), elbow-length PVC gloves and a face shield. When using the prepared spray wear cotton overalls buttoned to the neck and wrist (or equivalent clothing), a washable hat, elbow-length PVC gloves and a face shield. If product on skin, immediately wash area with soap and water. If product in eyes, wash it out immediately with water. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves, face shield and contaminated clothing. Obtain an emergency supply of atropine tablets (0.6 mg).

BACK PANEL

FIRST AID

If swallowed, splashed on skin or in eyes, or inhaled, contact a Poisons Information Centre (Phone Australia 131 126) or a doctor at once. Remove any contaminated clothing and wash skin thoroughly. If swallowed, activated charcoal may be advised. Give atropine if instructed.

MATERIAL SAFETY DATA SHEET

Additional information is listed in the Material Safety Data Sheet.

EXCLUSION OF LIABILITY

This product must be used strictly as directed, and in accordance with all instructions appearing on the label and in other reference material. So far as it is lawfully able to do so, Bayer CropScience Pty Ltd accepts no liability or responsibility for loss or damage arising from failure to follow such directions and instructions.

Baytex® is a Registered Trademark of Bayer

APVMA Approval Number: 32999/5L/0706

| | |
|--|----------------------------------|
| ORGANOPHOSPHORUS PESTICIDE, LIQUID, TOXIC, FLAMMABLE (contains fenthion and xylene) | (TOXIC 6 DIAMOND) |
| UN No. 3017 | |
| FOR 24 HOUR SPECIALIST ADVICE IN EMERGENCY ONLY PHONE 1800 033 111 | |
| | (FLAMMABLE LIQUID DIAMOND) |



Bayer Environmental Science
A Business Group of
Bayer CropScience Pty Ltd
ABN 87 000 226 022
391-393 Tooronga Rd
East Hawthorn Vic. 3123

Phone: (03) 9248 6888
Fax: (03) 9248 6800
Website: www.bayercropscience.com.au

(label code)

Batch Number:
Date of Manufacture: