Ficam[®] W

Technical Information

An essential tool in your armoury.











Non-repellent and broad spectrum – nothing else comes close.

Ficam W contains one of the last truly broad spectrum, non-repellent compounds available in professional pest control.

Fully supported by Bayer, bendiocarb remains an important tool in the armoury of the serious professional pest manager. Use its non-repellent activity against difficult pests like ants and bedbugs.

Target pests

- Ants
- Bedbugs
- Cockroaches
- Silverfish
- · Carpet beetle
- Spiders
- Fleas
- European wasps
- Flies
- Portuguese millipedes
- · Seed harvesting ants
- · African black beetle

Areas of use

Food processing factories, restaurants, laundries, food stores, ships, hospitals, kitchens, boiler houses, private dwellings, canteens, hotel-motels, in and around farm buildings. Abattoirs, garbage containers and dumps, manure heaps, or other places where flies rest or breed. Wasp nests. Pasture seed treatment. Turf: Golf greens and fairways, bowling greens and playing fields.

Key features:

- ✓ Non-repellent
- ☑ Broad-spectrum
- Excellent residual activity
- Pre-measured sachets
- Readily disperses in spray tank
- Registered for millipede control
- Odourless

- Carbamate product (reversible acetyl-cholinesterase inhibitor)
- ☑ Rotational product for insecticide resistance management
- Large particle size providing excellent residual activity on a range of surfaces
- Registered for indoor and outdoor application

Application rate and delivery


- ☑ 15 or 30 g per 5 L water (refer specific directions on label for specific uses)
- 50 mL diluted product/m²
- ☑ Equates to 120 mg to 240 mg active substance/m²

Comments on application


Ficam W is a wettable powder formulation which may result in visible deposits on certain glossy surfaces. Consider the surface and the impact of the potential for visible residues prior to use.

Repellency tests with Ficam W against German cockroaches.

Number (out of 10) cockroaches present on untreated or treated halves of an arena over one hour.



Residual mortality (%) of adult German cockroaches when exposed to a range of Ficam W treated surfaces (at low label rate).



Through market leading Research and Development, Bayer Environmental Science is committed to providing quality, highly effective and safe pest management solutions for Pest Management Professionals.

Ficam[®] W

Best practice guidelines:

- Conduct a thorough inspection prior to application of any chemical product.
- Read and follow directions on the label there is information relating to specific pests which is intended to optimise control.
- Ensure spray tank is clean of residues of other formulations prior to use.
- Calibrate sprayer prior to application to ensure that target application rate is being achieved. For internal spraying a flat fan nozzle (eg. size 4001), producing a fine spray pattern is recommended. For external spraying use a medium to coarse flat-fan (eg. size 6502 or 6504) for evenly flat surfaces or a variable-cone/cone-jet (eg. X3 or X8) for general situations.
- Avoid application to surfaces which are cleaned regularly or which are very dirty or greasy.
- Monitor pest activity after product is applied if control is not achieved then other methods may need to be employed (i.e. Integrated Pest Management).
- Where a surface may be susceptible to damage or staining, consider alternative control methods, or it is recommended that a small inconspicuous area be treated (and allowed to dry) first.









Product profile

Active ingredient information:

800 g/kg bendiocarb

Insecticide group:

Carbamate

Formulation type:

Wettable Powder

Pack sizes available:

150 g box containing 10x15 g sachets, 1.5 kg tin

Product safety

Personal protective equipment required:

Cotton overalls buttoned to the neck and wrist (worn over normal clothing), a washable hat and elbow-length PVC gloves. When using in enclosed areas wear disposable respirator.

No products produced by Bayer Environmental Science have been shown to be carcinogenic, teratogenic or mutagenic.

Regulatory information

APVMA Approval number: 31988

AQIS IOA Status: 14B

HSNO Approval Number: HSR000451 Poisons Schedule: Schedule 6 - Poison

Other regulatory information:

Use of this product according to the registered label is consistent with the requirements of HACCP Procedures used within food processing establishments.

Impact on the environment

All pesticides are regulated under the Agricultural and Veterinary Chemicals Act to ensure that they do not pose an unacceptable risk to human health and the environment.

For information regarding pesticide regulatory process please visit the Australian Pesticides and Veterinary Medicines Authority website at www.apvma.gov.au



Bayer Environmental Science

ALWAYS READ AND FOLLOW THE REGISTERED PRODUCT LABEL PRIOR TO USE.

Ficam® is a Registered Trademark of Bayer.

For more information on FICAM contact Bayer Environmental Science www.bayeres.com.au

Bayer Environmental Science A Business group of Bayer CropScience Bayer CropScience Pty Ltd 391–393 Tooronga Road Hawthorn East Victoria 3123 Ph: 1800 223 002 Fax: 1800 223 112 QUEENSLAND NORTHERN TERRITORY Doug McCarron 0428 149 104

NEW SOUTH WALES Paul Conradt 0448 349 901

VICTORIA SOUTH AUSTRALIA WESTERN AUSTRALIA TASMANIA Jim Westhead 0407 342 234

Distributor Information